



* Actual product appearance may differ from the above simulated scene.

Pro:Centric[®] Direct Hospitality UHD TV with Pro:Idiom[®] and Embedded *b*-LAN[™]

UT570H Series

Commercial Lite	Pro:Centric Value	Pro:Centric Direct	Pro:Centric Direct Smart
-----------------	-------------------	---------------------------	--------------------------

The UT570H Series features UHD resolution that creates vivid details and a flawless picture. It has LG Pro:Centric technology, which offers extended customizable tools (HTML5 and Java) for partners to create interactive applications with increased visual appeal. These enhanced features enable delivery of a wide range of unique applications tailored to both hotel management and guests' needs.


Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN

UT570H SERIES

KEY FEATURES


Dozens of Languages

This series supports 39 languages (including Hebrew, Arabic and Farsi) and language alignment, making guests from around the world feel more at home and comfortable.




Basic & Easy-to-Use Templates

Pro:Centric Application (PCA) provides basic, easy-to-use templates that can be selected based on customer preference.




Customizable Template & Page

Choose alternative looks for billboards based on your preferences, and edit multiple sections with up to 40 pages of billboards by yourself with this web-based tool.



Multi-Channel Spooling

Operation of up to eight hotel channels (22 sub-channels) offers programming flexibility, customized content and additional services.



Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN

UT570H SERIES

KEY FEATURES

Pro:Idiom

DRM (digital rights management) technology unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.




4K Upscaler

Enjoy Full HD content with 4K UHD quality. The 4K upscaler automatically upgrades Full HD content to UHD through a simple six-step process.



Pro:Centric Direct

Pro:Centric Direct is a hotel content management system that provides simple editing tools and various solutions such as one-click service and IP network-based remote management. Hoteliers can easily edit the user interface, provide customized service and manage all the property's TVs efficiently.



* Actual UI may differ from what is shown here
When PCS400R and PCD 2.0 are in use, the PCD feature works even in RF infrastructure.

4K Resolution

UHD delivers a resolution four times higher than that of Full HD, which creates a more realistic and immersive television viewing experience. The stunning 8.3 million pixels create flawless images with incredibly vivid detail.



Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN

UT570H SERIES

KEY FEATURES

EZ-Manager

EZ-Manager provides a convenient installation function to automatically choose settings for the Pro:Centric TV without any extra configuration.



Instant On

The Instant On feature allows the Pro:Centric app to remain loaded giving guests quick access to content when they turn on the TV.



Commercial Swivel Stand

The UT570H Series commercial grade stand swivels to allow guests to view the TV from virtually any angle and can easily be fastened to a tabletop for security purposes.



USB Data Cloning


Create a media playlist of your choosing (video, music, and/or images), save it to a USB memory device, and then simply connect the USB memory device to the TV to stream your playlist sequentially.



Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN

UT570H SERIES

DIMENSIONS



Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN

UT570H SERIES

SPECIFICATIONS

		65UT570H9UB	55UT570H9UA	50UT570H9UA	43UT570H9UA
DISPLAY	Diagonal Size	65"	55"	50"	43"
	Resolution	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)
	Backlight Unit Type	Trident	Trident	Direct	Trident
	Brightness (Nits)	500	400	INX: 400 nits / LGD: 360 nits	400
	TruMotion / Refresh Rate	T120	T120	60 Hz	T120
	Life Span (Hours)	30,000	30,000	30,000	30,000
	HDR 10 Pro	Yes	Yes	Yes	Yes
	HDR HLG	Yes	Yes	Yes	Yes
AUDIO	Speaker (Sound Output)	10 W + 10 W	10 W + 10 W	10 W + 10 W	10 W + 10 W
	Speaker System	2.0 ch	2.0 ch	2.0 ch	2.0 ch
	LG Sound Sync	Yes	Yes	Yes	Yes
HOSPITALITY	Data Streaming (IP & RF)	Yes	Yes	Yes	Yes
	HCAP (GEM / FLASH / HTML)	GEM / HTML5	GEM / HTML5	GEM / HTML5	GEM / HTML5
	IP Return Path	Yes	Yes	Yes	Yes
	Multicast / Unicast (Pro:Centric Data Only)	Yes	Yes	Yes	Yes
	Pro:Centric Direct (Version)	Yes (2.5)	Yes (2.5)	Yes (2.5)	Yes (2.5)
	Pro:Centric Application (Version)	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)
	Pro:Centric Server	PCS400R	PCS400R	PCS400R	PCS400R
	Pro:Idiom DRM	SW Type / Mobile / Lite	SW Type / Mobile / Lite	SW Type / Mobile / Lite	SW Type / Mobile / Lite
SMART FEATURES	Smart Home (Launcher Bar)	Yes	Yes	Yes	Yes
OTHER FEATURES	Clock and Alarm	Yes	Yes	No	Yes
	EZ-Manager	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes
	Update Time	Yes	Yes	Yes	Yes
	SNMP	Yes	Yes	Yes	Yes
	SI Compatible (TVLink Interactive)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)
	HTNG-CEC	Yes (1.4)	Yes (1.4)	Yes (1.4)	Yes (1.4)
	Simplink (HDMI-CEC)	Yes (1.4)	Yes (1.4)	Yes (1.4)	Yes (1.4)
	IR Out	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)
	Multi-code IR	Yes	Yes	Yes	Yes
	Hotel Mode / PDM / Installer Menu	Installer Menu	Installer Menu	Installer Menu	Installer Menu
	Welcome Screen (Boot Logo)	Yes	Yes	Yes	Yes
	One Channel Map	LCM	LCM	LCM	LCM
	External Speaker Out (Stereo)	Yes	Yes	Yes	Yes
	Instant On	Yes	Yes	Yes	Yes
	RJP (Remote Jack Pack) Compatibility	Yes (LG, HDMI CEC)	Yes (LG, HDMI CEC)	Yes (LG, HDMI CEC)	Yes (LG, HDMI CEC)
	Auto Off / Sleep Timer	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
	Smart Energy Saving	Yes	Yes	Yes	Yes
	Motion Eye Care	Yes	Yes	Yes	Yes
	TV Reception	ATSC / QAM / VSB / Analog NTSC	ATSC / QAM / VSB / Analog NTSC	ATSC / QAM / VSB / Analog NTSC	ATSC / QAM / VSB / Analog NTSC
	<i>b</i> -LAN Embedded	Yes	Yes	Yes	Yes

Pro:Centric Direct Hospitality UHD TV with Pro:Idiom and Embedded *b*-LAN


UT570H SERIES

SPECIFICATIONS

		65UT570H9UB	55UT570H9UA	50UT570H9UA	43UT570H9UA
INTERFACES	HDMI In	3 (2.0)	3 (2.0)	3 (2.0)	3 (2.0)
	USB	1 (2.0)	1 (2.0)	1 (2.0)	1 (2.0)
	RF In	Yes	Yes	Yes	Yes
	A / V Adapter Included (3.5 mm)	1	1	1	1
	Digital Audio Out	Optical	Optical	Optical	Optical
	LAN (RJ45)	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)
	LG RJP Interface	Yes	Yes	Yes	Yes
	Speaker Out - Line Out (3.5 mm Stereo Jack)	Yes	Yes	Yes	Yes
	TV Link Configuration (3.5 mm Stereo Jack)	Yes (Configure <i>b</i> -LAN)	Yes (Configure <i>b</i> -LAN)	Yes (Configure <i>b</i> -LAN)	Yes (Configure <i>b</i> -LAN)
	MPI Port (RJ12)	Yes	Yes	Yes	Yes
MECHANICALS	Front Color	Titan	Titan	Ceramic Black	Titan
	VESA Compatible	300 x 300	300 x 300	200 x 200	200 x 200
	Kensington Lock	No	Yes	Yes	Yes
	Credenza / Security Screw Hole	No	Yes	Yes	Yes
	Lock Down Plate	No	Yes	Yes	Yes
	Weight without Stand	47.2 lbs / 21.4 kg	30.9 lbs / 14.0 kg	24.9 lbs / 11.3 kg	17.6 lbs / 8.0 kg
	Weight with Stand	49.4 lbs / 22.4 kg	37.9 lbs / 17.2 kg	31.8 lbs / 14.5 kg	17.6 lbs / 8.0 kg
	Shipping Weight	65.7 lbs / 29.8 kg	50.5 lbs / 22.9 kg	40.3 lbs / 18.3 kg	17.6 lbs / 8.0 kg
	Dimensions without Stand (Depth to Back VESA Location)	57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.0" / 973 x 572 x 76 mm
	Dimensions without Stand (Depth to Back of Speaker)	57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.3" / 973 x 572 x 85 mm
POWER	Dimensions with Stand	57.6" x 36.0" x 13.4" / 1,463 x 914 x 340 mm	49.0" x 30.7" x 11.9" / 1,244 x 780 x 303 mm	44.5" x 30.4" x 11.9" / 1,130 x 722 x 303 mm	38.3" x 24.6" x 11.9" / 973 x 626 x 303 mm
	Shipping Dimensions	63.0" x 42.1" x 8.1" / 1,600 x 1,070 x 207 mm	55.5" x 33.9" x 8.1" / 1,410 x 860 x 207 mm	52.1" x 31.9" x 7.9" / 1,325 x 810 x 200 mm	45.2" x 26.0" x 7.5" / 1,147 x 660 x 190 mm
	Power Supply (Voltage, Hz)	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz
	Power Consumption (Max)	200 W	160 W	157.3 W	120 W
ACCESSORIES	Power Consumption (Typical)	172 W	144 W	128.7 W	99 W
	Power Consumption (Standby)	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W
	Remote Type	S-Con	S-Con	S-Con	S-Con
	Chromecast Anti-theft Cover	Yes (Option)	Yes (Option)	Yes (Option)	Yes (Option)
WARRANTY & OTHER	Power Cable	Yes (1.8 m, RA Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)
	Standards	UL	UL	UL	UL
	EMC Certification	FCC	FCC	FCC	FCC
	Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty
	UPC	1 95174 02325 9	1 95174 02328 0	1 95174 02331 0	1 95174 02333 4

CONNECTIVITY

65" / 55" / 49" / 43"



Design and specifications are subject to change without notice.
Please contact your LG sales team to verify before ordering.



- www.lg.com/us/business/commercial-display
- [www.twitter.com/LGCommDisplays](https://twitter.com/LGCommDisplays)
- [www.facebook.com/LGcommercialdisplays](https://facebook.com/LGcommercialdisplays)
- [www.linkedin.com/company/lg-commercial-displays-usa](https://linkedin.com/company/lg-commercial-displays-usa)
- [www.youtube.com/lgcommercialdisplayusa](https://youtube.com/lgcommercialdisplayusa)
- 800-228-1236 | Hospitality Sales

© Copyright 2021 ©LG Electronics USA, Inc. All rights reserved. LG and the LG logo are registered trademarks of LG Corp.
All other trademarks are the property of their respective owners. Prices, promotions, and availability may vary by dealer.
The information contained herein is subject to change without notice. All screen images are simulated.
SPEC_UT570H_092109_a